



**Commercial
Vehicles**

The Crafter Range





04 The Crafter Range

10 Features

12 Safety

14 Accessories

15 Engines and transmission

15 Technical specifications

15 Drivetrain

16 Measurements and statistics

19 Standard and optional equipment

24 Paint colours

25 Trim

26 Owning a Volkswagen

26 Environment

27 General information



The Crafter story is bigger than just big.

You might know the Crafter as the biggest van in the Volkswagen Commercial Vehicle range and one of the largest and most versatile light commercial vehicles in Australia. But that's just a small part of a bigger story.

Crafter is also one of the most economical, powerful and reliable vans around, offering genuine versatility and functionality to Australian businesses everywhere.

Engineered specifically for heavy-duty use, Crafter's durable common rail TDI engines set the benchmark for output and fuel consumption. The Crafter excels in two weight classes with the option of an increased GVM and the choice of two wheelbases as a Delivery Van or Cab Chassis plus a Dual Cab Chassis variant.

The story is equally compelling from the driver's seat. Sure handling, clear instrumentation, intuitive ergonomics, clever technology, brilliant safety and smart provision of handy cabin space. Crafter knows how to make work easier. Safer. More productive.



Crafter Van.


Cavernous. That's the word that immediately springs to mind when you open the doors of a Crafter Van. With an array of exterior dimensions, two weight classes (up to 4.49t GVM), choice of an increased (up to 5.0t) GVM, two wheelbases (up to 4,325mm) and three load compartment lengths (up to 4,700mm), there is a Crafter Delivery Van that can be tailored to your requirements.

Need space for five euro pallets? No problem. Need extra overhead space? Easy. Want extra, extra overhead space? Crafter's super high roof gives you that and more. Want all this height but with a shorter wheelbase for weaving in and out of the city? Sure. In fact, with so many choices on roof heights and wheelbases, Crafter has you covered all the way up to



Crafter quick reference guide.

Vans.

Model, GVM	Wheelbase, mm	Payload, kg	
Crafter 35, 3,550kg with standard roof	3,665	1,519 – 1,537	
Crafter 35, 3,550kg with high roof	3,665	1,483 – 1,501	
Crafter 35, 3,550kg with super high roof	3,665	1,447 – 1,465	
Crafter 35, 3,550kg with high roof	4,325	1,132 – 1,350	
Crafter 35, 3,550kg with super high roof	4,325	1,105 – 1,323	
Crafter 35, 3,550kg with high roof	4,325 w/overhang	1,304	
Crafter 35, 3,550kg with super high roof	4,325 w/overhang	1,277	
Crafter 50, 4,490kg with standard roof	3,665	2,244	
Crafter 50, 5,000kg with standard roof	3,665	2,754	
Crafter 50, 4,490kg with high roof	3,665	2,208	
Crafter 50, 5,000kg with high roof	3,665	2,718	
Crafter 50, 4,490kg with super high roof	3,665	2,217	
Crafter 50, 5,000kg with super high roof	3,665	2,727	
Crafter 50, 4,490kg with high roof	4,325	2,049	
Crafter 50, 5,000kg with high roof	4,325	2,559	
Crafter 50, 4,490kg with super high roof	4,325	2,014 – 2,041	
Crafter 50, 5,000kg with super high roof	4,325	2,524 – 2,551	
Crafter 50, 4,490kg with high roof	4,325 w/overhang	2,008	
Crafter 50, 5,000kg with high roof	4,325 w/overhang	2,518	
Crafter 50, 4,490kg with super high roof	4,325 w/overhang	1,981	
Crafter 50, 5,000kg with super high roof	4,325 w/overhang	2,491	

an amazing 17m³ of load space. Of course, space is nothing without smart access to it. There's no shortage of that – thanks to super sized rear wing doors with an optional opening angle of up to 270°, and an extra-wide sliding door with a through-loading width of 1,300mm for the medium and long wheelbase vehicles. An optional second sliding door provides even greater

access to whatever you're carrying. And if your cargo is particularly heavy, we can calibrate the suspension to optimise the driving performance of your Crafter Van and make sure its long list of safety credentials is not compromised in any way. Speaking of which, here's something that will give you peace of mind. Crafter Van comes standard with driver and passenger front airbags as

well as ABS, ESP, EDL and TCS with the option of side and curtain airbags. It also features Hill Assist and daytime running lights for added safety. You can also feel good about the environment with Crafter Van meeting the latest Euro 5 emission standards.



The Cab Chassis.

Strong businesses are built on good foundations. And there's no better foundation than the robust frame of the Crafter Cab Chassis. Whether you need an enclosed single or dual cab, a cowl or back panel, or a platform for integrated bodies – there is a Crafter Cab Chassis to

suit. You've got plenty of choice across a variety of weight classes, body lengths and wheelbases. Cab Chassis are available as Crafter 50 models with up to 5,000kg GVM in medium and long wheelbases, with varying payload depending on the combination. Crafter 35 Cab Chassis comes

with 3,550kg GVM on a medium wheelbase.

An electrical CAN-bus interface is configured as standard on all models. And for those who require additional power – mechanical, electrical or hydraulic – Power Take-Offs from the



Optional 2 seat bench in front row.

Crafter quick reference guide.

Model, GVM	Wheelbase, mm	Payload, kg	
Crafter 35, 3,550kg Single Cab	3,665	1,762	
Crafter 50, 4,490kg Single Cab	3,665	2,406	
Crafter 50, 5,000kg Single Cab	3,665	2,916	
Crafter 50, 4,490kg Single Cab	4,325	2,322	
Crafter 50, 5,000kg Single Cab	4,325	2,832	

manual gearbox are available as options. The latter offers a maximum continuous output of 28kW at 2,500rpm and maximum torque of 140Nm at 1,000 to 1,200rpm.

Quite apart from all this technical talk, Crafter Cab Chassis is a joy to drive:

smooth, powerful, comfortable and safe. Your Crafter comes with driver and front passenger airbags as standard with optional side and curtain airbags. ABS, ESP, EDL and TCS are all standard technical safety features, which, in addition to Hill Assist and the simple

assurance of daytime running lights, give vital peace of mind.



Model shows optional tray.

The Dual Cab Chassis.

If you need to carry people as well as cargo, Crafter Dual Cab fits the bill. The brilliantly designed cab offers plenty of space for up to seven big, burly types. While your cargo is valuable, the most valuable load on board is your team and

that's where Crafter's safety pedigree comes into play. With driver and front passenger airbags plus ABS, ESP, EDL and TCS, Hill Assist and daytime running lights all standard, coupled with optional side and curtain airbags for driver and front

passenger, the team is delivered in utmost safety. Crafter passengers also travel in comfort, arriving at work ready to go. But the rear bench is not just a comfortable spot for your crew, lift it up to find a huge bin for storing valuable equipment out of



Picture shows rear bench seat with under seat storage. Optional 2-seater bench front seat.

Crafter quick reference guide.

Model, GVM	Wheelbase, mm	Payload, kg	
Crafter 50, 4,490kg Dual Cab	4,325	2,179	
Crafter 50, 5,000kg Dual cab	4,325	2,689	

sight. In fact, smart use of interior space is everywhere – for anything from work tools to lunch boxes. Maximise your space and go for the optional 2-seater front passenger bench seat to transport seven workers. Out back you’ve got a versatile

platform that can take three euro pallets and additional gear or larger items of equipment. Your Crafter Dual Cab 50 comes with a 4,325mm wheelbase, an interior load platform length of 3,600mm and a payload of up to 2,859kg depending

on your chosen GVM. And we’ve thought carefully about access to all this space. A folding step is fitted on the tailboard to get you up onto the platform quickly so you can be loading and unloading in no time.

Features

The Crafter's Cab is all about modern and smart design: the interior materials are high quality and durable, the ergonomic driver's seat has height and angle adjustment, and the steering wheel is positioned similarly to that of a passenger car. Combine all that with the dashboard-mounted joystick gear lever and you'll enjoy comfortable, fatigue-free driving. Other standard features include electric windows and central locking with radio-remote control. Optional assistance systems add a finishing touch to the comfort and convenience of the Crafter.



Park pilot. Ultrasonic sensors in the front and rear bumper, together with warning lamps on the door mirrors and instrument panel give acoustic and visual signals that make parking easy.

CV CH



Multifunction steering wheel. Rocker switches on the multifunction steering wheel operate the multifunction display and the radio.

CV CH



Roof-mounted control unit. Fitted in the centre of the cab roof storage compartment, the unit has a practical pocket for spectacles and two reading lamps.

CV CH



Light and rain sensor. A photosensitive diode on the windscreen automatically regulates windscreen wiper speed depending on the amount of rainfall, as well as the driving light function.

CV CH



Cruise control system. A touch of a button and speed can be set at a constant level – the system is deactivated by operating the lever or depressing the brake or clutch pedal. A speed limiter function is also included.

CV CH



Multifunction display. Information supplied by the on-board computer includes: distance driven, outside temperature and average fuel consumption – only available in conjunction with a multifunction steering wheel.

CV CH



Gear recommendation. Integrated in the instrument cluster, this handy device shows the optimum moment to shift up or down and, therefore, help you drive in the most energy efficient gear.

CV CH

standard **CV** Crafter Van
 optional extra **CH** Chassis



Electrically heated and adjustable door mirrors. Door mirrors are conveniently adjusted electronically and the integrated heating function helps de-ice mirrors on frosty days for safe winter driving.

CV CH



Air conditioning system for the load compartment. The Crafter's load compartment can also be air conditioned. The vents are situated in the headlining and the second evaporator is fitted on the roof to save space in the interior. (increased vehicle height: 17cm)

CV CH



Automatic driving light control. Low beams are activated automatically at twilight or when driving through tunnels for even greater safety on the road.

CV CH



"Climatic" air conditioning system. Temperature and air flow are adjusted manually on this mechanical system. An integral dust and pollen filter helps to keep the air clean in the interior. A digital outside temperature display, which can also be ordered separately, is available with the air conditioning system. Plus, a roof-mounted air conditioning system can be supplied for the passenger compartment as an option.

CV CH



"RCD2001" Radio system. The radio has a high-grade tuner and an MP3 compatible CD player.

CV CH



Bluetooth™ functionality with multifunction display "PLUS". Crafter Bluetooth™ option enables telephone hands-free operation as well as the ability to wirelessly stream audio tracks from Bluetooth™ equipped phones and media players.



Reversing camera. The reversing camera helps you reverse safely as well as assists with parking. The lens is fitted centrally above the rear wing doors and images are transmitted to a dash-mounted 7" colour monitor.

CV CH


The Bluetooth™ word mark is owned by The Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.

Safety

Crafter's comprehensive safety system is nothing short of class leading. ESP, ABS, TCS and EDL are all standard, minimising the impact of poor road conditions or bad weather. It's intuitive safety too. For example, the ESP adjusts automatically to your load to make sure of optimal handling and the in-built trailer stabilisation technology ensures additional loads are handled efficiently and safely.

Apart from the intelligent electronic safety items, you can equip the cab with up to six airbags – front, side and curtain. Even the build quality adds to the safety equation. The high body stiffness that characterises Crafter makes it more rigid – more assured in performance terms.

Then there are extra little touches that complete the safety picture. Like the optional audible reversing warning signal, optional rain sensor and automatic driving light control, optional park distance control at front and rear.



Emergency stop signal. In the case of an emergency stop the brake lights start to flicker as of 50km/h. When the vehicle comes to a standstill the hazard lights are activated – they are then switched off at a speed of 10km/h when the journey is resumed.

CV **CH**

Traction Control System (TCS). For high-torque engines the traction control system offers greater comfort and safety, particularly on smooth or slippery surfaces. The system also facilitates smooth take off and acceleration over the entire engine speed range without wheelspin or fishtailing.

CV **CH**



Electronic anti-theft warning system. A warning signal is triggered automatically in the event of unauthorised entry to the Crafter. The system is also available with interior monitoring as an option.

CV **CH**

Acoustic reversing warning system. When reverse gear is engaged, an audible signal is triggered to warn pedestrians. As an option the reversing warning can be de-activated manually.

CV **CH**

- standard
- CV** Crafter Van
- optional extra
- CH** Chassis



Anti-lock Braking System (ABS). ABS prevents complete wheel lock and therefore significantly improves the vehicle's manoeuvrability when full braking is applied.

CV CH



Adaptive Electronic Stabilisation Programme (ESP). Electronics adapt automatically to the load status of the vehicle and take counter measures in critical situations to prevent the vehicle breaking away.*

CV CH



Lashing eyes. The Crafter is equipped with up to twelve lashing eyes in the load compartment floor to safely secure your load.

CV CH

Electronic Differential Lock (EDL). The EDL ensures a smooth start when driving on surfaces with differing degrees of traction. Should a wheel start to spin, the EDL brakes the specific wheel and directs power to the wheel with better traction.

CV CH



Fog lights. For optimum visibility and increased safety in poor weather conditions fog lights are integrated in the bumper.

CV CH

Hill Assist. This prevents the Crafter from rolling back on inclines and ensures good handling when driving off.

CV CH

* The Electronic Stabilisation Programme cannot however overcome the limits set by physics. Please contact your local Volkswagen Commercial Vehicle dealer for details of the standard equipment and optional extras applicable in Australia.

Accessories

The Crafter is a reliable all-rounder with a long list of standard features that's hard to beat. However, if you would like a few extras, Volkswagen Genuine Accessories offers a spectrum of additional equipment options. These are developed in close cooperation with our Development and Design Department and are available only at your Volkswagen Commercial Vehicle dealer – to ensure quality and proper fitting.




Sun blind for windscreen. The acrylic glass sun shield ensures dazzle-free driving when the sun is low in the sky. The sun shield is not compatible with positioning lights on the front roof pillar.

CV CH



Rubber floor mats. The hard-wearing rubber mat for the Crafter protects the foot well from dirt and moisture. The foot mat is easy to clean and fits flush into the foot well. Designed with "Crafter" logo front right.

CV CH



Non-slip cargo area mat. (MWB & LWB – with wooden floor). This non-slip mat helps prevent your load from slipping while protecting the load area against dirt and humidity.

CV CH



Bluetooth™ touch phone kit. Negotiating around busy roads and taking calls on the fly is now much easier thanks to this handy Bluetooth™ touch phone kit. It pairs with all major phones and installs neatly on the dash.

Bluetooth™

CV CH



Slimline weathershields. The slimline weathershield gives you added protection against glare when sunlight enters through the side windows and also allows air circulation on wet days.

CV CH



Roof bar set. Based on the original Volkswagen roof bars, these are the ideal spot to attach ladders, pipe holders, or the practical roof box.

CV CH



Tow bar. These tow bar kits are designed to comply with Australian design rules. The towing capacity is 2,000kg with a downball capacity of 100kg. The towbar kit is designed to be used in conjunction with the genuine towbar wiring kit.

CV CH

The Bluetooth™ word mark is owned by The Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.

standard optional extra **CV** Crafter Van **CH** Chassis

Engines and transmission

Crafter offers four engine variants across the range from an efficient TDI300 offering 80kW of power up to the TDI400 which yields 120kW. These efficient and exceptionally reliable common rail TDI engines are now even more economical and place less burden on the environment. The 105kW and 120kW versions are equipped with Bi-turbo charging – for powerful acceleration, even at low engine speeds. Various running gear adjustments are available: for example, for poor road surfaces or for special bodies with a higher centre of gravity. The mono turbo versions 2.0L TDI300 (300Nm) and 2.5L

TDI330 SCR (330Nm) as well as the 2.0L TDI340 (340Nm) or TDI400 (400Nm) Bi-turbo versions are powerful, pleasantly smooth running engines. Fuel is injected under high pressure and burnt efficiently.

All vehicles are supplied as standard with a diesel particulate filter and 6-speed manual gearbox (for all 2.0L engines) or 6-speed shiftmatic for the 2.5L engine. For retrofitting auxiliaries all manual gearboxes have the option for transmission power take-offs.



Technical specifications

Engine	TDI300	TDI340	TDI400
Type	4 Cylinder, direct injection	4 Cylinder, direct injection	4 Cylinder, direct injection
Capacity, litres/cc	2.0 / 1,968	2.0 / 1,968	2.0 / 1,968
Installation	Longitudinal	Longitudinal	Longitudinal
Bore x Stroke / Compression ratio	81.0 x 95.5 / 16.0:1	81.0 x 95.5 / 16.0:1	81.0 x 95.5 / 16.0:1
Construction materials	Alloy head with cast iron block	Alloy head with cast iron block	Alloy head with cast iron block
Maximum power, kW @ rpm	80 @ 3,500	105 @ 3,500	120 @ 3,600
Maximum torque, Nm @ rpm	300 @ 1,500 – 2,250	340 @ 1,575 – 2,250	400 @ 1,800
Induction type	Single VTG turbo with EGR and intercooler	Bi-turbo with EGR and intercooler	Bi-turbo with EGR and intercooler
Emissions standard*	Euro 5	Euro 5	Euro 5
Transmission – manual	6 Speed	6 Speed	6 Speed
Driven wheels	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive
Fuel system			
Fuel type	Diesel DIN EN 590		
Fuel system	3rd Generation Common Rail Direct Injection		
Fuel tank capacity, litres	75		

Drivetrain

Suspension and steering	Crafter 35	Crafter 50
Front axle	Independent McPherson struts, sub-frame with coil springs and gas filled dampers	
Rear axle	Live rear axle featuring longitudinal leaf springs and gas dampers	
Steering	Rack and pinion power steering	
Brakes		
Front disc brakes, mm	300 x 28 ventilated	300 x 28 ventilated
Rear disc brakes, mm	298 x 16 solid	303 x 28 ventilated
Brake systems	ESP, ABS, ASR, MSR, EDL and Hill Holder	

* Emission level according to European Regulation (EC) No. 715/2007 and Regulation (EC) No. 692/2008. The information and the specifications contained within this document were correct at the time of issue. Due to our continuous process of improvement our products are continually updated and changes may be made to the specifications from time to time. Not all vehicles or options may be available. Check at time of ordering.

Measurements and statistics

Cab Chassis

Weights

Towing capacity, braked / unbraked, kg	2,000 / 750
Towing downball load, kg	100

		Crafter 35 Single Cab		Crafter 50 Single Cab @ 4,490kg	Crafter 50 Single Cab @ 5,000kg	Crafter 50 Dual Cab @ 4,490kg	Crafter 50 Dual Cab @ 5,000kg
		TDI300	TDI340	TDI400	TDI400	TDI400	TDI400
GVM, kg	MWB	3,550	3,550	4,490	5,000	–	–
	LWB	–	–	4,490	5,000	4,490	5,000
Unladen mass ¹ , kg	MWB	1,788	1,788	2,084	2,084	–	–
	LWB	–	–	2,168	2,168	2,311	2,311
Payload ² , kg	MWB	1,762	1,762	2,406	2,916	–	–
	LWB	–	–	2,322	2,832	2,179	2,689

Vans

Weights

Towing capacity, braked / unbraked, kg	2,000 / 750
Towing downball load, kg	100

Crafter 35 Van – GVM: 3,550kg

		Standard Roof			High Roof			Super-high Roof		
		TDI300	TDI340	TDI400	TDI300	TDI340	TDI400	TDI300	TDI340	TDI400
Unladen mass ¹ , kg	MWB	2,013	2,023	2,031	2,013	2,023	2,031	2,013	2,023	2,031
	LWB	–	–	–	2,200	2,210	2,218	2,200	2,210	2,218
	LWB with overhang	–	–	–	–	2,246	–	–	2,246	–
Payload ² , kg	MWB	1,537	1,527	1,519	1,501	1,491	1,483	1,465	1,455	1,447
	LWB	–	–	–	1,350	1,340	1,132	1,323	1,313	1,105
	LWB with overhang	–	–	–	–	1,304	–	–	1,277	–

Crafter 50 Van – GVM: 4,490kg (5,000kg)





		Standard Roof	High Roof	Super-high Roof
		TDI400	TDI340	TDI400
Unladen mass ¹ , kg	MWB	2,246	–	2,246
	LWB	–	2,441	2,449
	LWB with overhang	–	–	2,482
Payload ² , kg	MWB	2,244 (2,754)	–	2,208 (2,718)
	LWB	–	2,049 (2,559)	2,041 (2,551)
	LWB with overhang	–	–	2,008 (2,518)
				2,022 (2,532)
				2,014 (2,524)
				1,981 (2,491)

1) The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only. 2) Payload figures determined by subtracting 'Unladen Mass'(UM) from total 'Gross Vehicle Mass' (GVM). A vehicle's final payload, given the different available configurations, can only be determined by weighing the individual vehicle and comparing to the known GVM. Figures quoted are for base model vehicles only.

Measurements and statistics





Cab Chassis

Dimensions	Crafter 35 Single Cab	Crafter 50 Single Cab	Crafter 50 Dual Cab
Length, mm	5,865	6,082	6,842
Width, mm	1,990	1,990	1,990
Width, including door mirrors, mm	2,426	2,426	2,426
Height, mm	2,345	2,380 (MWB) 2,370 (LWB)	2,385
Wheelbase, mm	3,665	4,325	4,325
Turning Circle, m	13.5	15.6	15.6
Interior dimensions (Cargo area)			
Cargo Area (with optional Alloy tray), m ²	6.90	9.16	7.67
Maximum length, mm	3,400	4,300	3,600
Maximum width, mm	2,030	2,130	2,130
Warranty and service			
Vehicle	3 Years, Unlimited km		
Paint / Corrosion	3 Years / 12 Years		
Road side assistance	3 Years, Unlimited km		



Crafter 35 MWB Single Cab Chassis

Crafter 50 MWB Single Cab Chassis





Crafter 50 LWB Single Cab Chassis

Crafter 50 LWB Dual Cab Chassis

Measurements and statistics


Vans

Exterior dimensions							
	MWB			LWB		LWB with overhang	
	Standard roof	High roof	Super-high roof	High roof	Super-high roof	High roof	Super-high roof
Length, mm	5,905	5,905	5,905	6,940	6,940	7,340	7,340
Width, mm	1,993	1,993	1,993	1,993	1,993	1,993	1,993
Width, including door mirrors, mm	2,426	2,426	2,426	2,426	2,426	2,426	2,426
Height, mm	2,415	2,705	2,940	2,705	2,940	2,705	2,940
Wheelbase, mm	3,665	3,665	3,665	4,325	4,325	4,325	4,325
Turning Circle, m	13.6	13.6	13.6	15.6	15.6	15.6	15.6
Interior dimensions (Cargo area)							
Cargo Capacity, m ³	9.0	10.5	11.5	14.0	15.5	15.5	17.0
Maximum length, mm	3,265	3,265	3,265	4,300	4,300	4,700	4,700
Maximum width, mm	1,780	1,780	1,780	1,780	1,780	1,780	1,780
Maximum width between wheel arches, mm	1,350	1,350	1,350	1,350	1,350	1,350	1,350
Maximum height, mm	1,650	1,940	2,140	1,940	2,140	1,940	2,140
Cargo entry							
	Standard roof		High roof		Super-high roof		
Rear wing door width, mm	1,565		1,565		1,565		
Rear wing door height, mm	1,540		1,840		1,840		
Lateral sliding doors width, mm	1,300		1,300		1,300		
Lateral sliding doors height, mm	1,520		1,820		1,820		
Warranty and service							
Vehicle	3 Years, Unlimited km						
Paint / Corrosion	3 Years / 12 Years						
Road side assistance	3 Years, Unlimited km						



MWB Standard Roof, High Roof and Super High Roof

LWB High Roof and Super High Roof



LWB with overhang High Roof and Super High Roof

Standard and optional equipment

Cab Chassis

Safety and security	Crafter 35 Single Cab	Crafter 50 Single Cab	Crafter 50 Dual Cab
Airbag for driver and front passenger	S	S	S
Side airbags for driver and front passenger	O	O	O
Head & thorax airbag for driver and front passenger	O	O	O
Seat belt warning buzzer	S	S	S
Vehicle immobiliser	S	S	S
Anti-theft alarm system	O	O	O
Acoustic back-up warning system	O	O	O
Acoustic back-up warning system and battery isolator switch	O	O	O
Driver assist			
Electronic stability control with brake assistant, ABS, ASR, EDL and emergency brake signal	S	S	S
Power steering with safety steering column, height and length of steering wheel adjustable	S	S	S
Cruise control with speed limiter	S	S	S
Hill hold control	S	S	S
Audio and media			
Radio "RCD2001" (standard size) with CD drive	S	S	S
Bluetooth™ functionality	O	O	O
Multifunction steering wheel, multifunction display with outside temperature display	O	O	O
Outside temperature display	S	S	S
Instrument insert (km/h); indication of speed, total/trip mileage, engine speed, fuel level and time	S	S	S
Exterior			
Exterior mirrors (electrically adjustable and heated, convex, with wide-angle range and turn signal)	S	S	S
Trailer wiring preparation	S	S	S
Towing eye (front)	S	S	S
Primed paintable bumpers	O	O	O
Rear drive-under protection	S	S	S
Rear and side drive-under protection	O	–	–
Alloy tray	O	O	O
Ladder carrier (for factory alloy tray)	O	O	O
Wheels and tyres			
16" x 6.5J Steel wheels with tyres 235/65 R 16 C	S	–	–
16" x 5.5J Steel wheels with tyres 205/75 R 16 C (rear axle with dual tyres)	–	S	S
Full size Steel spare wheel with OE tyre	S	S	S
Tool kit and jack	S	S	S
16"x 6.5J Alloy wheel "Altarmont"	O	–	–
Wheel chock	–	S	S
Two wheel chocks	S	–	–
Front mud flaps	S	S	S
Mud flaps front and rear	O	O	O
Seats			
Fabric seat coverings "Tasamo"	S	S	S
Height-adjustable front headrests	S	S	S

The Bluetooth™ word mark is owned by The Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.

Standard and optional equipment

Seats	Crafter 35 Single Cab	Crafter 50 Single Cab	Crafter 50 Dual Cab
Driver's seat with multiple adjustment (plus lumbar, seat bolster angle)	S	S	S
Passenger seat with multiple adjustment	S	S	S
Suspension seat with lumbar support (Driver's seat)	O	O	O
Suspension seat with lumbar support (Passenger seat)	O	O	O
Swivel seat with lumbar support (Driver's seat)	O	O	O
Swivel seat with lumbar support (Passenger seat)	O	O	O
Arm rest for front seats	O	O	O
Double seat passenger front bench with under-seat storage and foldable tray table	O	O	O
4-seater bench seat, in 2nd row of seats	-	-	S
3-point seat belts	S	S	S
Windows and doors			
Heat-insulating compound glass windshield	S	S	S
Windshield wiper intermittent control	S	S	S
Windshield wiper intermittent control with rain sensor and automatic headlight activation	O	O	O
Privacy glass in passenger compartment	-	-	O
Power windows	S	S	S
Radio remote controlled central locking	S	S	S
Air conditioning			
Air conditioning system Climatic (semi-automatic) with dust and pollen filter	S	S	S
Vent in footwell in 2nd row of seats	-	-	O
Interior			
Glove compartment with lid	S	S	S
Rubber floor covering in cab	S	S	S
Front grab handles (driver and passenger front doors)	O	O	O
Grab handles on B-pillar in load/passenger compartment	-	-	S
Coat hook on B-pillar	-	-	S
Foldable parking brake (mandatory in combination with swivel seats)	O	O	O
12V socket	S	S	S
Lighting			
Dipped beam headlights as daytime running lights	S	S	S
Side marker lights	S	S	S
Front fog lights	O	O	O
Mechanical			
Battery 380 A (72 Ah)	S	S	S
Stronger battery (450 Ah, 100 A) and stronger alternator (180 A)	O	O	O
Battery isolator switch	O	O	O
Electric interface for external use (CAN bus technology)	S	S	S
Increased capacity fuel tank (100 litre)	O	O	O
Transmission PTO (Countershaft without flange)	O	O	O
Transmission PTO (Countershaft with flange)	O	O	O
Transmission PTO (Locked countershaft without flange)	O	O	O
Transmission PTO (Locked countershaft with flange)	O	O	O
Suspension reinforcement Package C	O	O	O
Reinforced rear shock absorber	O	-	-
Reinforced front stabiliser (Uprated, larger diameter)	-	S	S
Reinforced rear stabilisers (Uprated, larger diameter)	O	S	O

S = Standard - = Not Available O = Optional

Standard and optional equipment

Vans

	Crafter 35 Van	Crafter 50 Van
Safety and security		
Airbag for driver and front passenger	S	S
Side airbags for driver and front passenger	O	O
Head & thorax airbag for driver and front passenger	O	O
Seat belt warning buzzer	S	S
Vehicle immobiliser	S	S
Anti-theft alarm system	O	O
Acoustic back-up warning system	O	O
Acoustic back-up warning system and battery isolator switch	O	O
Driver assist		
Electronic stability control with Brake Assist, ABS, ASR, EDL and emergency brake signal	S	S
Power steering with safety steering column, height and length of steering wheel adjustable	S	S
Cruise control with speed limiter	S	S
Hill hold control	S	S
Park distance control, front and rear	O	O
Park distance control, front and rear, including rear view camera with 7" display	O	O
Rear view camera with 7" display	O	O
Audio and media		
Radio "RCD2001" (standard size) with CD drive	S	S
Bluetooth™ functionality	O	O
Multifunction steering wheel, multifunction display with outside temperature display	O	O
Outside temperature display	S	S
Instrument insert (km/h); indication of speed, total/trip mileage, engine speed, fuel level and time	S	S
Exterior		
Exterior mirrors (electrically adjustable and heated, convex, with wide-angle range and turn signal)	S	S
Trailer wiring preparation	S	S
Towing eye (front & rear)	S	–
Towing eye (front)	–	S
Primed paintable bumpers	O	O
Rear bumper with integrated step	O	O
Roof rack preparation	O	O
High roof (painted, body colour) – MWB only	O	O
Super high roof (white, unpainted)	O	O
Super-high roof painted in body colour	O	O
Wheels and tyres		
16" x 6.5J Steel wheels with tyres 235/65 R16 C	S	–
16" x 5.5J Steel wheels with tyres 195/75 R16 C (Rear axle with dual tyres)	–	S
Full size Steel spare wheel with OE tyre	S	S
Tool kit and jack	S	S
16" x 6.5J Alloy wheel "Altarmont"	O	–
17" x 6.5J Alloy wheels "Hedemora"	O	–
Wheel chock	–	S
Mud flaps front and rear	S	S
Seats		
Fabric seat coverings "Tasamo"	S	S
Height-adjustable front headrests	S	S

The Bluetooth™ word mark is owned by The Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.

Standard and optional equipment

Seats	Crafter 35 Van	Crafter 50 Van
Driver's seat with multiple adjustment (plus lumbar, seat bolster angle)	S	S
Passenger seat with multiple adjustment	S	S
Suspension seat with lumbar support (Driver's seat)	O	O
Suspension seat with lumbar support (Passenger seat)	O	O
Swivel seat with lumbar support (Driver's seat)	O	O
Swivel seat with lumbar support (Passenger seat)	O	O
Arm rest for front seats	O	O
Double seat passenger front bench with under-seat storage and foldable tray table	O	O
3-point seat belts	S	S
Windows and doors		
Heat-insulating compound glass windshield	S	S
Windshield wiper intermittent control	S	S
Windshield wiper intermittent control with rain sensor and automatic headlight activation	O	O
Power windows	S	S
Heated rear window	S	S
Rear wing doors with window aperture	S	S
Rear wing doors without window	O	O
Hinges for rear wing doors with increased opening angle (max. 270°)	O	O
Privacy glass in passenger compartment	O	O
Radio remote controlled central locking	S	S
Side windows in load compartment, front left	O	O
Sliding window in passenger compartment, front left	O	O
Side windows in load compartment, front right	O	O
Sliding window in passenger compartment, front right	O	O
Side windows in load compartment, rear left	O	O
Side windows in load compartment, rear right	O	O
Sliding door in load/passenger compartment, left hand side	S	S
Sliding door in load compartment, right hand side	O	O
Side window in load/passenger compartment, centre, left (LWB only)	O	O
Side window in load/passenger compartment, centre, right (LWB only)	O	O
Sliding window in load/passenger compartment, centre, right (LWB only)	O	O
Power latching for sliding door, left	O	O
Electric door operating mechanism, left, with power latching	O	O
Power latching for sliding door, right	O	O
Electrically operated sliding door, right, plus power latching	O	O
Air conditioning		
Air conditioning system Climatic (semi-automatic) with dust and pollen filter	S	S
Climatic air conditioning (semi-automatic) and 2nd evaporator (height of vehicle + 17cm) and dust/pollen filter (high roof only)	O	O
Climatic air conditioning (semi-automatic) and 2nd evaporator (height of vehicle + 17cm) and dust/pollen filter (standard roof only)	O	O
Interior		
Partition with fixed window	S	S
Deletion of partition	O	O
Glove compartment with lid	S	S
Dashboard with tray cover	O	O





Standard and optional equipment

Interior	Crafter 35 Van	Crafter 50 Van
Roof interior trim as molded headlining in cab and passenger/load compartment for standard roof	O	O
Roof interior trim as molded headlining in cab and passenger/load compartment for high roof	O	O
Rubber floor covering in cab	S	S
Rubber floor covering in load compartment	O	–
Wooden floor in load compartment	O	O
Front grab handles (driver and passenger front doors)	O	O
Grab handle on B-pillar in load compartment partition	O	O
Grab handle on partition in load compartment	S	S
Entry handle on D-pillar, rear left and right	O	O
Grey-painted, medium height hardboard side trim panel in load compartment	O	O
Lashing rings for load restraint	S	S
Foldable parking brake (mandatory in combination with swivel seats)	O	O
12V socket	S	S
Lighting		
Dipped beam headlights as daytime running lights	S	S
Side marker lights	S	S
Front fog lights	O	O
Mechanical		
Battery 380 A (72 Ah)	S	S
Stronger battery (450 Ah, 100 A) and stronger alternator (180 A)	O	O
Battery isolator switch	O	O
Electric interface for external use (CAN bus technology)	S	S
Increased capacity fuel tank (100 litre)	O	O
Transmission PTO (Countershaft without flange)	O	O
Transmission PTO (Countershaft with flange)	O	O
Transmission PTO (Locked countershaft without flange)	O	O
Transmission PTO (Locked countershaft with flange)	O	O
Suspension reinforcement Package B	O	O
Suspension reinforcement Package C	O	O
Reinforced rear shock absorber	O	–

S = Standard – = Not Available O = Optional



Paint colours

The bodywork is galvanised first to give your Volkswagen optimum protection against mechanical and chemical influences. Only then is the paint applied in several layers and left to harden. The result is a scratch-resistant, hard finish for the top coat.




standard **CV** Crafter Van
 optional extra **CH** Chassis

Paint colours



Trim

High-quality, robust materials and skilled workmanship are essential in the manufacture of hard-wearing seat upholstery. The colours and patterns for the upholstery are painstakingly matched to the interior trim and paint finishes.



* Metallic and pearl effect paint are available at extra cost. The illustrations on these pages can only be regarded as a general guide as the printing process cannot render the colours with absolute accuracy. Please contact your local Volkswagen Commercial Vehicle dealer for details of the standard equipment and optional extras available.

Owning a Volkswagen.

Volkswagen New Vehicle Warranty

Volkswagen Crafter is covered by a 3-year/ unlimited kilometre manufacturer's warranty, which includes Volkswagen Assist (24 hour roadside assistance). Crafter is also covered by a 3-year paintwork and 12-year anti-corrosion perforation warranty.

Volkswagen Assist 24 hour roadside assistance

As a valued customer, you can be assured that, wherever you travel within Australia, you will have access to roadside assistance, 24 hours a day, 365 days a year. This is complimentary for the duration of the vehicle's original Volkswagen warranty period. You will receive help in the event of a breakdown or accident and, if required, your vehicle will be mobilised or transported to an Authorised Volkswagen Repair Centre.

Volkswagen Extended Warranty

Why not continue the confidence of a Volkswagen Warranty by purchasing a Volkswagen Extended Warranty? For further details on this option, please contact your local Volkswagen Dealer.

Volkswagen Service

Your Authorised Volkswagen Service Centre is part of Volkswagen's global Quality Management System, ensuring all dealers are certified to ISO 9001:2000 – an internationally recognised Quality Standard. Authorised Volkswagen Service Centres have factory trained technicians equipped with the very latest diagnostic equipment, specialist tooling and Volkswagen Genuine Parts. An Authorised Volkswagen Service Centre undertakes work in accordance with factory specified guidelines and maintenance schedules.

Volkswagen Genuine Parts®

Volkswagen Genuine Parts® are designed for your vehicle and approved by Volkswagen, with particular regard to safety. The workmanship, dimensional accuracy and materials used in these parts comply with factory specifications. To ensure safety and reliability, Volkswagen recommends the use of Volkswagen Genuine Parts®. Volkswagen Authorised Dealers offer a 2-year warranty on Genuine Parts from the date of purchase.

Environment.

On a local level, we have undertaken a number of initiatives to reduce the environmental impact of our business processes, including careful recycling of office waste, for example. Energy usage is being reduced through lights controlled by motion sensors in toilets, kitchens and meeting rooms.

But there's no question that the area in which we can contribute most to environmental sustainability is with our vehicles. Our TDI diesel engines consume less fuel and emit less exhaust fumes offering high torque and performance, while our diesel particulate filters extract soot from the exhaust fumes. Numerous

engines already fulfill the very stringent Euro 5 norm.

General information.

Volkswagen is distributed by Volkswagen Group Australia Pty Ltd. 24 Muir Road, Chullora, NSW 2190. ABN 14 093 117 876. Specifications are as planned at July 2012 for model year 2013 and are subject to change without notice or obligation. Cars and accessories are shown for illustrative purposes only and may not depict Australian specifications. Fuel consumption figures according to Australian Design Rules (ADR) 81/02. All Volkswagen approved parts and accessories are warranted for 2 years/unlimited kilometres. All warranties implied by legislation or otherwise are excluded to the maximum extent permitted by law. The liability of Volkswagen shall, subject to the law, be limited at Volkswagen's discretion: 1. In the case of the goods, the repair or the cost of repair, or the replacement or the cost of replacement; and 2. In the case of services, the re-supply of the services or the cost of re-supply of the services. All information in this brochure is correct at time of publication, however variations may occur from time to time and Volkswagen, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. The colours shown in the brochure are indicative only and may vary from actual items owing to the printing process. Authorised Volkswagen dealers will provide up-to-date information on model application, design feature, prices and availability on request. Volkswagen Insurance & Volkswagen Extended Warranty are provided by Allianz Australia Insurance Limited (Allianz), AFS Licence No. 234708, ABN 15 000 122 580. In arranging this insurance, Volkswagen Financial Services Australia Limited, ABN 20 097 071 460 & Volkswagen Group Australia Pty Ltd, ABN 14 093 117 896 and the authorised dealers act as agents of Allianz and not as your agent. Volkswagen Finance is a trading name of Volkswagen Financial Services Australia Limited. Locked Bag 6252, Regents Park, NSW 2143. Tel: 02 9695 6311.

The Crafter Range

September 2012

Publication: VGACRAF001B

www.volkswagen-commercial.com.au